Working together for a safer world

FOBAS Sample Analysis Report

Client:

Our Reference: 15-021037-0-UKH	o - MKZ		t Status Amber			
Vessel:		IMO:				
Secreta Biocetal D. (NOT OF	TED			
Sample Dispatch Date:		NOT STATED				
Lab Receipt Date:		15 DEC 2015				
Courier Used:		PARCEL FORCE : PARCELFORCE PB1E4990800				
Dispatched From:		NOT STATED				
Sample No		1		2		
Port		NOT STA	TED	NOT ST	ATED	
Sampling Date		NOT STATED			NOT STATED	
Supplier		NOT STA		NOT ST		
Barge/Inst		NOT STATED			NOT STATED	
Sample Point Type		NOT STATED			NOT STATED	
Sampling Method		NOT STATED			NOT STATED	
Advised Bunker Details		1101017		1101 51	7120	
Viscosity cSt		NOT STA	TED	NOT ST	ATED	
Density @ 15°c kg/l		NOT STA		NOT ST		
Sulphur		NOT STATED			NOT STATED	
Quantity MT		NOT STATED			NOT STATED	
Seal Number Lab		NOT STATED			NOT STATED	
Tag Seal Numbers Lab		NOT STATED			NOT STATED	
Seal Number Vessel		NOT STATED			NOT STATED	
Seal Number Vessel		NOT STATED			NOT STATED	
Seal Number MARPOL		NOT STATED			NOT STATED	
		Required			ed Tested	
Sample		1	Amber	2	Amber	
ISO-F Grade(2005)		DMA	DMA	DMA	DMA	
K Viscosity at 40oC	cSt	6.0	2.701	6.0	2.690	
Density @ 15°c	kg/l	0.8900	0.8354	0.8900	0.8353	
Water Content	% v/v	-	< 0.02	-	< 0.02	

Ash Content at 550oC	% m/m	0.01	< 0.010	0.01	< 0.010
Net Specific Energy	MJ/kg		42.93		42.93
Gross Specific Energy	MJ/kg		45.78		45.78
Colour	n/a		Yellow		Yellow
Appearance			Clear and Bright		Clear and Bright
Sulphur Content	% m/m	1.50	< 0.03	1.50	< 0.03
Pour Point	°C	0	< -9	0	< -9
CFPP	°C		-6		-7
Flash Point	°C	60	61.0	60	62.0
MCR 10%	% m/m	0.30	< 0.01	0.30	< 0.01
Cetane Index	Index	40	53	40	53

Comments: Sample 1

SAMPLE 1: UN-TREATED MGO

SAMPLE 2: MGO SPIKED WITH CLEANBOOST ADDITIVE AT 1:4000

AAA: There are no noticeable difference in results based on the above tests.

Comments: Sample 2

comments as above

Note: The accuracy of the results obtained are dependent on the sample tested being truly representative of the fuel as loaded. To draw representative samples please refer to the FOBAS Sampling Procedures Manual. For further information on the MARPOL Annex VI Reg. 14 & 18 requirements and its on-going developments, please contact your local Lloyd's register FOBAS office or contact us directly on fobas@lr.org

This report is also available at https://www.lrgmt.com

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.