



COMPONENTS for TRAILERS

Best Solutions
for Quality Driven Trailer Designs



WIDE RANGE CONTAINER LOCKS PRODUCED by BNG



www.bngparts.com

PRODUCT NO:


500.150.001

Sheet Metal Container Lock with L Plate
OEM: R401VAK



500.151.001

Sheet Metal Fixed Container Lock
OEM: R402F-R



PRODUCT NO:

500.152.001

Casting Body Sliding Container Lock
OEM: FD02SK-RV



500.152.002


Casting Body Sliding Container Lock + Adapter
OEM: FD02SK-RV HV120



PRODUCT NO:

500.153.001

HVC Type Container Lock
OEM: R306HVCR-120



500.155.003

Fixed Folding Container Lock Right - 12mm
OEM: FB90F


500.155.004

Fixed Folding Container Lock Left - 12 mm
OEM: FB90F




LANDING GEARS FOR TRAILERS

*For different options and more info,
*For detailed drawings, contact with BnG




Foot Type	Center Diemention	Diementions					Product Code
Fixed	mm	A	B	C	D	E	
	650	650	270	920	1003	1273	30.12.650.121
	700	700	320	1020	1103	1423	30.12.700.121
	750	750	370	1120	1203	1573	30.12.750.121
	800	800	420	1220	1303	1723	30.12.800.121
	850	850	470	1320	1403	1873	30.12.850.121
Fexible	mm	A	B	C	D	E	
	650	650	270	920	1003	1273	30.12.650.111
	700	700	320	1020	1103	1423	30.12.700.111
	750	750	370	1120	1203	1573	30.12.750.111
	800	800	420	1220	1303	1723	30.12.800.111
	850	850	470	1320	1403	1873	30.12.850.111
	900	900	520	1420	1503	2023	30.12.900.111





STEEL AIR TANKS WITH SADDLES




BNG CODE	Volume lt	Diameter mm	Length mm	Weight kg	Operating Pressure bar	Manşon Bağlantısı mm	Number of Connecting Elements on Side (1)	Number of Connecting Elements on Side (2)	Number of Connecting Elements on Body	Material
400.100.001	20	206	691	8,50	15,5	M22x1,5	1	2	1	Steel
400.100.002	30	246	700	9,55	15,5	M22x1,5	1	2	1	Steel
400.100.003 <i>Kügel</i>	40	276	758	11,72	15,5	M22x1,5	1	2	1	Steel
400.100.004	40	310	618	11,02	12,5	M22x1,5	1	2	2	Steel
400.100.007 <i>Krone</i>	60	396	580	13,30	10	M22x1,5	1	2	1	Steel
400.100.005	60	310	893	15,04	12,5	M22x1,5	1	2	1	Steel
400.100.008 <i>Krone</i>	80	396	750	16,85	10	M22x1,5	1	2	1	Steel

ALUMINIUM AIR TANKS WITH SADDLES

BNG CODE	Volume lt	Diameter mm	Length mm	Weight kg	Operating Pressure bar	Manşon Bağlantısı mm	Number of Connecting Elements on Side (1)	Number of Connecting Elements on Side (2)	Number of Connecting Elements on Body	Material
400.300.037	60	396	592	7,40	11	M22x1,5	1	2	1	Aluminium
400.300.033	40	276	765,5	5,86	15,5	M22x1,5	1	2	1	Aluminium

STEEL AIR TANKS WITH WELDED BRACKETS



BNG CODE	Volume lt	Diameter mm	Length mm	Weight kg	Operating Pressure bar	Manşon Bağlantısı mm	Number of Connecting Elements on Side (1)	Number of Connecting Elements on Side (2)	Number of Connecting Elements on Body	Material
400.200.014	30	246	703	11,20	12,5	M22x1,5	1	2	1	Steel
400.200.013	40	276	758	13,55	15,5	M22x1,5	1	2	1	Steel
400.200.019 <i>Schmitz</i>	80	310	1156	20,20	12,5	M22x1,5	1	2	1	Steel
400.200.018	80	396	750	18,98	10	M22x1,5	1	2	2	Steel
400.200.017	60	396	580	15,73	10	M22x1,5	1	2	2	Steel
400.200.027 <i>Schmitz</i>	80	396	743	18,78	10	M22x1,5	0	1	3	Steel


LADDERS FOR TRAILERS

*For different options and more info,
*For detailed drawings, contact with BnG

PRODUCT NO:


153.000.045

Rear Ladder 3 Steps - With Platform



153.000.001


Heavy Type Rear Ladder 3 Steps - With Platform



PRODUCT NO:


153.000.046

Rear Ladder 2 Steps



153.000.037


Heavy Type Rear Ladder 4 Steps - With Platform



PRODUCT NO:


153.000.047

Rear Ladder 3 Steps



153.000.038

Heavy Type Rear Ladder 2 Steps





MUDGUARD SINGLE TYRE

TYPE	PART CODE
BANDED TYPE	153.001.001



MUDGUARD SINGLE TYRE

TYPE	PART CODE
STANDARD	153.001.002



MUDGUARD DOUBLE TYRE

TYPE	PART CODE
BANDED TYPE	153.001.003



MUDGUARD DOUBLE TYRE

TYPE	PART CODE
STANDARD	153.001.004



MUDGUARD CONNECTING ARM

DIMENSION	PART CODE
530 MM	153.002.001
750 MM	153.002.002



MUDGUARD CONNECTOR

TYPE	PART CODE
PLASTIC TYPE	153.002.003
ALUM. TYPE	153.002.004
STEEL TYPE	153.002.005



FIRE EXTINGUISHER BOX

DIMENSION	PART CODE
69 x 32 x 25 cm	153.003.001



WATER TANK PLASTIC

TYPE	PART CODE
30 LT	153.004.001
50 LT	153.004.002



WATER TANK METAL

DIMENSION	PART CODE
Ø60 x 28 cm / 35 LT	153.006.001
Ø50 x 38 cm / 60 LT	153.006.002
Ø60 x 38 cm / 70 LT	153.006.003
Ø80 x 38 cm / 90 LT	153.006.004



PLASTIC WHEEL WEDGE

TYPE	PART CODE
HEAVY DUTY	153.005.001
STANDARD DUTY	153.005.002



OIL TANK

DIMENSION	PART CODE
Ø380 x 1100 mm / 120 LT	153.007.001
Ø380 x 1350 mm / 150 LT	153.007.002
Ø450 x 1250 mm / 180 LT	153.007.003



ALUMINIUM SIDE GUARD HOLDER

TYPE	PART CODE
50 CM	153.010.001
70 CM	153.010.002



ALUMINIUM PROFILE

DIMENSION	PART CODE
80 CM	153.008.001
100 CM	153.008.002
130 CM	153.008.003
150 CM	153.008.004
170 CM	153.008.005



SPARE TIRE CARRIER

TYPE	PART CODE
22,5" TIRES	153.009.001
19,5" TIRES	153.009.002
17,5" TIRES	153.009.003



SPARE TIRE CARRIER

TYPE	PART CODE
22,5" TIRES	153.009.004
17,5" , 19,5" TIRES	153.009.005



STEEL WHEEL WEDGE

DIMENSIONS						PART CODE
A	B	C	R	H	Weight	
120	100	210	384	160	1,7 kg	153.011.001
160	135	250	431	195	2,5 kg	153.011.002
200	160	310	550	235	3,75 kg	153.011.003

BRAKE SYSTEMS FOR TRAILERS

*For different options and more info,

*For detailed drawings, contact with BnG

**WABCO EBS SET (2S/2M)
WITH TRI-AXLE AIR SUSPENSION VALVE GROUP**





Part Number (Wabco)	Descriptions	QTY	
480 102 033 0	EBS-Trailer Modulator 24V, TEBS E with PEM, 2S/2M	1	pcs
971 002 912 0	Park Release Emergency Valve	1	pcs
463 084 041 0	Lift Axle Control Valve	1	pcs
449 413 050 0	Connecting Cable, 5m	1	pcs
463 032 020 0	Rotary Slide Valve	1	pcs
464 006 201 0	Levelling Valve	1	pcs
952 201 012 0	Coupling Head with Int. Filter, Red	1	pcs
952 201 011 0	Coupling Head with Int. Filter, Yellow	1	pcs
449 173 120 0	Connecting Cable, 12m	1	pcs
449 723 030 0	Connecting Cable, 3m	2	pcs
441 032 808 0	ABS Sensor	2	pcs
899 760 510 4	Clamping Bush	2	pcs
433 401 003 0	Linkage	1	pcs
899 200 922 4	Adhesive Label	1	pcs
813 000 009 3	EBS-Label Trailer	1	pcs
813 000 008 3	EBS-Label Trailer	1	pcs


**WABCO EBS SET (4S/2M)
WITH TRI-AXLE AIR SUSPENSION VALVE GROUP**




Part Number (Wabco)	Descriptions	QTY	
480 102 063 0	EBS-Trailer Modulator 24V, TEBS E with PEM, 4S/3M	1	pcs
971 002 912 0	Park Release Emergency Valve	1	pcs
463 084 041 0	Lift Axle Control Valve	1	pcs
449 413 050 0	Connecting Cable, 5m	1	pcs
463 032 020 0	Rotary Slide Valve	1	pcs
464 006 201 0	Levelling Valve	1	pcs
952 201 012 0	Coupling Head with Int. Filter, Red	1	pcs
952 201 011 0	Coupling Head with Int. Filter, Yellow	1	pcs
449 173 120 0	Connecting Cable, 12m	1	pcs
449 723 030 0	Connecting Cable, 3m	2	pcs
449 723 030 0	Connecting Cable, 4m	2	pcs
441 032 808 0	ABS Sensor	4	pcs
899 760 510 4	Clamping Bush	4	pcs
433 401 003 0	Linkage	1	pcs
899 200 922 4	Adhesive Label	1	pcs
813 000 009 3	EBS-Label Trailer	1	pcs
813 000 008 3	EBS-Label Trailer	1	pcs


Part Number (Wabco)	Optional Part Descriptions	QTY	
-	Air Reservoir, 60 lt, Ø310x872 St, with welded brackets or saddles	2	pcs
-	Service Brake Chamber, T16/T20/ T24 /T30	2	pcs
-	Park Brake Chamber, T16-24/T20-24/ T24-30 /T30-30	4	pcs
-	Polyamid Air Hose (8.00 x 1.00)	100	mt
-	Polyamid Air Hose (12.00 x 1.50)	50	mt
-	Polyamid Air Hose (15.00 x 1.50)	6	mt
-	Fitting and Fastener Kit	1	set







COVER SIZES	SYMBOL	2800X2550 mm
COVER LENGTH	A	*Optional
COVER WIDTH	B	2550 mm
WING WIDTH	C	1240 mm
HINGE START DISTANCE	D	*Optional
DISTANCE BETWEEN HINGES	E	*Optional
LOCK START DISTANCE	F	365 mm
DISTANCE BETWEEN LOCKS	G	680 mm






COVER SIZES	SYMBOL	2800X2530 mm
COVER LENGHT	A	*Optional
COVER WIDTH	B	*Optional
WING WIDTH	C	1243 mm
LOCK START DISTANCE	D	160 mm
SECOND LOCK CENTER MEASUREMENT	E	610 mm





COVER SIZES	SYMBOL	2560X600 mm
COVER LENGTH	A	* Customer Choice
COVER HEIGHT	B	600 mm or 820 mm
DISTANCE BETWEEN HOOKS	C	186 mm - 200 mm
HOOK CENTER DISTANCE	D	283 mm

**Side Door/Sigma Series
Lock on Top**




COVER SIZES	SYMBOL	2560X600 MM
COVER LENGTH	A	*Optional
COVER HEIGHT	B	600 mm or 820 mm
DISTANCE BETWEEN HOOKS	C	186 mm - 200 mm
HOOK CENTER DISTANCE	D	283 mm

**Side Door/Sigma Series
Lock on Side**

PROFILE NO:


BG 3624

25 mm Wood Profile
3 Section




BG 3619

30 mm Wood Profile
3 Section



BG 3618

120 mm Wood Profile
3 Section



Theoretical Weight

0,936 kg/mt


1,000 kg/mt

1,065 kg/mt

PROFILE NO:


BG 6152

25 mm Wood Profile
2 Section



BG 3634

25 mm Wood Profile
2 Section, Triangle



Theoretical Weight


0,990 kg/mt

1,625 kg/mt

PROFILE NO:


BG 6254

25 mm Wood Profile
2 Section, Triangle




BG 3610

Side Door Lock Profile X



BG 3615

Side Door Profile



Theoretical Weight

1,183 kg/mt


1,638 kg/mt

1,497 kg/mt

PROFILE NO:


BG 3622

Back Door Frame Profile
Beta Series




BG 3623

Back Door Frame Profile
Alfa Series



BG 3629

Side Door Side Profile
Sigma Series



Theoretical Weight

1,328 kg/mt


1,481 kg/mt

1,347 kg/mt

PROFILE NO:

BG 3616


Side Guard Profile



1,002 kg/mt

BG 3632

Foldable Back Door Profile



0,665 kg/mt

BG 3631


Foldable Back Door Profile With Hinge



1,091 kg/mt

BG 6163

Side Guard Corner Profile




0,964 kg/mt

Theoretical Weight

PROFILE NO:

BG 3639


Side Door Profile



2,770 kg/mt

BG 3672

Side Door Profile




2,909 kg/mt

Theoretical Weight

PROFILE NO:

BG 3626


Side Door Profile



2,534 kg/mt

BG 3682


Side Door Bottom Profile
Sigma Series



2,292 kg/mt

BG 3683

Side Door Profile
With Channel



1,375 kg/mt

Theoretical Weight

PROFILE NO:

BG 3684


Side Door Middle Profile
Sigma Series



1,611 kg/mt

BG 3627

Side Door Profile
With Channel




1,547 kg/mt

Theoretical Weight

BG 6179

Side Door Profile
With Channel




1,582 kg/mt

PROFILE NO:

BG 3673


Side Door Top Profile



1,244 kg/mt

BG 3621

Side Door Top Profile




Theorical Weight

1,006 kg/mt

BG 3628

Side Door Top Profile




1,944 kg/mt

PROFILE NO:

BG 3685


Side Door Top Profile
Sigma Series



1,939 kg/mt

BG 6138

Back Door Panel Profile
Alfa and Beta Series




Theorical Weight

2,273 kg/mt

BG 3666

Back Door Panel Profile




2,881 kg/mt

PROFILE NO:

BG 3630


Back Door Panel
Profile



2,273 kg/mt

BG 3629

Back Door Panel
Profile




2,144 kg/mt

PROFILE NO:

BG 6137


Back Door Panel Profile
Alfa and Beta Series



2,088 kg/mt

BG 6130

Back Door Middle Side Profile
Beta Series




0,845 kg/mt

PROFILE NO:

BG 3687


Side Door Profile



0,672 kg/mt

BG 3674

Side Door Profile



0,674 kg/mt

BG 3671

Back Door Hinge
Alfa Series



2,060 kg/mt

BG 3662

Back Door Hinge




2,034 kg/mt

Theorical Weight

PROFILE NO:

BG 3662


Back Door U Profile



2,541 kg/mt

BG 3661


Back Door U Profile



2,677 kg/mt

BG 6149


Back Door U Profile
Seal On Type *



1,763 kg/mt

BG 3647

Side Guard Corner Profile




1,716 kg/mt

Theorical Weight

PROFILE NO:

BG 3636

Tanker Side Hoses Profile




6,065 kg/mt

Theorical Weight

BG 3635

Tanker Side Closing Profile




1,836 kg/mt

PROFILE NO:

BG 6118


Aluminium Frigo Profile



3,208 kg/mt

BG 3658

Aluminium Frigo Profile



Theoretical Weight

2,265 kg/mt

BG 6119

Aluminium Frigo Profile




2,752 kg/mt

PROFILE NO:

BG 6125


Aluminium Frigo Profile



0,782 kg/mt

BG 6142

Aluminium Frigo Profile



Theoretical Weight

3,701 kg/mt

BG 3655


Aluminium Frigo Profile



2,305 kg/mt

BG 3165


Aluminium Frigo Profile



0,090 kg/mt

BG 3650

Aluminium Frigo Profile



1,001 kg/mt

PROFILE NO:

BG 3657

Aluminium Frigo Profile



2,366 kg/mt

BG 3656

Aluminium Frigo Profile



Theoretical Weight

2,853 kg/mt

BG 3659

Aluminium Frigo Profile




1,749 kg/mt

PROFILE NO:

BG 6143

Back Door U Profile



Scale: 1/8

3,321 tkg/mt

BG 3644

Tie Rod Profile For Trailers




Theoretical Weight

1,212 kg/mt

BG 3698

Tie Rod Profile For Trailers



1,046 kg/mt


BG 3645

Tie Rod Hanger Profile For Trailers



0,940 kg/mt

SPARE PARTS FOR TRAILER DOORS

Part Code:	Part Photo:	Part Code:	Part Photo:
BG B13 Plastic Cap For Side Guard Profile (BG 3616)		BG B14 Plastic Cap For Side Guard Corner Profile (BG 3647)	
BG B16 Plastic Cap For 120 mm Wood Profile (3618)		BG B17 Plastic Cap For (BG 3618 and 6152)	
BG B18 Plastic Bedding For Hinge Pin (Alfa Series)		BG B19 Hinge (Alfa Series)	
BG B10 Hinge (Beta Series)		BG B21 Hinge-f (Sigma Series)	
BG B22 Hinge-m (Sigma Series)		BG B23 Hinge Wiping (Beta Series)	
BG B24 Hinge Wiping (Sigma Series)		BG B25 Fiber Top For Back Doors	
BG B26 Fiber Bottom For Back Doors		BG B27 Hinged Hook	
BG B28 Tent Hook (P type)		BG B29 Tent Hook (D type)	
BG B20 Vertical Lock		BG B31 Back Door Lock Set	 
BG B32 Side Door Lock (Lock on Top)		BG B33 T Type Lock Head	

SPARE PARTS FOR TRAILER DOORS

Part Code:	Part Photo:	Part Code:	Part Photo:
BG B34 Side Door Lock (Lock on Side)		BG B35 Rear Door Handle	
BG B36 Hinge Pin (For Alfa Series)		BG B37 4.8x14 Steel Rivet	
BG B37-2 6.4x14 Steel Rivet		BG B38 Aluminium Forged Rivet	
BG B39 Hinge Plastic (For Alfa Series)		BG B39-2 Hinge Plastic (For Alfa Series)	
BG B39-3 Lock Fiber Plastic (For Alfa Series)		BG B39-4 Lock Fiber Plastic	
BG B30 5x30 Slotted Pin		BG B41 5x24 Slotted Pin	
BG B43 Vertical Lock Pin		BG B44 10x20 Inbus Screw	
BG B44 8x20 Inbus Screw		BG B46 Back Door Middle Seal (Alfa Series) 1 Box 30 m / 15 kg	
BG B47 Back Door Internal Seal (Alfa Series) 1 Box 50 m / 10 kg		BG B48 Back Door Middle Seal (Beta Series) 1 Box 100 m / 15 kg	
BG B49 Side Door Seal (Sigma Series) 1 Box 150 m / 15 kg			

RIM SIZE	DISC THICKNESS	OFFSET	BOLT NO	TYRE SIZE	VEHICLE TYPE	IFS CODE	
----------	-------------------	--------	------------	-----------	--------------	----------	--

COMMERCIAL VEHICLES' RIMS AND TYRES

6.00X17.5	10	115	6	8.5-205-215/75 R17.5	IVECO	JF-MM-601751001	
6.00X17.5	10	128	6	8.5-205-215/75 R17.5	MITSUBISHI	JF-MM-601751002	
6.00X17.5	10	125	5	8.5 R17.5	ISUZU 5 BİJON	JF-MM-601751004	
6.00X17.5	10	135	6	8.5-205-215/75 R17.5	ISUZU 6 BİJON	JF-MM-601751005	
6.75X17.5 LOWLOADER TRAILER	13	145	10	8.5-9-10 R17.5	LOWLOADER TRAILER	JF-MM-671761301	
7.50X19.5 MERCEDES ATECO WITH HUMP	13	155	8	245/265/70 R19.5	MERCEDES ATECO	JF-MM-751961301	
7.50X19.5 LOWLOADER TRAILER	13	150	10	245/265/70 R19.5	LOWLOADER TRAILER	JF-MM-751961304	
7.50X22.5 OUTHAIR AIR VALVE	12.5	149.5	10	275/70 R22.5	BUS	JF-MM-752261307	
8.25X22.5 OUTHAIR AIR VALVE	14	152	10	11-12 R22.5	BUS-TRUCK	JF-MM-822261405	
8.25X22.5 OUTHAIR AIR VALVE	14	152	10	11-12 R22.5	BUS	JF-MM-822261406	
9.00X22.5 BUS FRONT RIM	13	153	10	295/80 R22.5	BUS SPECIAL	JF-MM-902261301	
9.00X22.5 0 OFFSET TRAILER	12	0	10	295/80 R22.5	TRAILER	JF-MM-902261217	
9.00X22.5 OUTHAIR AIR VALVE	14	161	10	12-13-315/80 R22.5	BUS-TRUCK	JF-MM-902261405	
9.00X22.5 ULTRA HEAVY LOAD	16	161	10	12-13-315/80 R22.5	BUS-TRUCK	JF-MM-902271605	
9.00X22.5 MEGA HEAVY LOAD	18	161	10	12-13-315/80 R22.5	BUS-TRUCK	JF-MM-902271805	
11.75X22.5 DRUM TYPE	12	0	10	385/65 R22.5	TRAILER-DRUM TYPE	JF-MM-112261201	
11.75X22.5 DISC TYPE	15	120	10	385/65 R22.5	TRAILER-DISC TYPE	JF-MM-112261401	
14.00X19.5 10 BOLT 0 OFFSET	13	0	10	445/65 R19.5	TRAILER-DRUM TYPE	JF-MM-141961302	
14.00X19.5 10 BOLT 120 OFFSET	13	120	10	445/65 R19.5	TRAILER-DISC TYPE	JF-MM-141961301	

AGRICULTURAL RIMS AND TYRES

9.00X15.3 GREY	6	0	5	11.5-12.5/80-15.3	AGRICULTURE	JF-MM-901540601	
9.00X15.3 GREY	6	-25	5	11.5-12.5/80-15.3	AGRICULTURE	JF-MM-901540602	
9.00X15.3 METALIC GREY	7	0	6	11.5-12.5/80-15.3	AGRICULTURE	JF-MM-901540701	
9.00X15.3 RED/WHITE/SİYAH	7	0	6	11.5-12.5/80-15.3	AGRICULTURE	JF-MM-901540701	
9.00X15.3 COUNTERSINK GRAY/WHITE	8	0	6	11.5-12.5/80-15.3	AGRICULTURE	JF-MM-901540801	
9.00X15.3 GREY	8	25	6	11.5-12.5/80-15.3	AGRICULTURE	JF-MM-901540802	
13.00X15.5 RED/WHITE/GREY	10	0	6	4.00/60-15.5		JF-MM-131551001	
6.00X17.5 REMORQUE	8	0	6	215/75 R17.5	AGRICULTURE	JF-MM-601750802	
6.00X17.5 REMORQUE COUNTERSINK	8	0	6	215/75 R17.5	AGRICULTURE	JF-MM-601750801	
6.75X17.5 REMORQUE COUNTERSINK	8	0	8	235-245/75 17.5	AGRICULTURE	JF-MM-671750802	
6.75X17.5 REMORQUE COUNTERSINK	8	0	6	235-245/75 17.5	AGRICULTURE	JF-MM-671750803	
7.50X19.5 REMORQUE	10	0	6	285/70 R19.5	AGRICULTURE	JF-MM-751961003	
7.50X19.5 REMORQUE	10	0	8	285/70 R19.5	AGRICULTURE	JF-MM-751961002	
W7X16 REMORQUE	8	0	6	9.00X16	AGRICULTURE	JF-MM-071640807	
11.75X22.5 0 OFFSET 8 BOLT	12	0	8	385/55 R 22.5	AGRICULTURE	JF-MM-112261204	
11.75X22.5 0 OFFSET 6 BOLT	12	0	6	385/55 R 22.5	AGRICULTURE	JF-MM-112261205	
14.00X22.5 8 BOLT 0 OFFSET	12	0	8	465/65 R22.5	AGRICULTURE	JF-MM-142271202	
14.00X22.5 10 BOLT 0 OFFSET	13	0	10	465/65 R22.5	AGRICULTURE	JF-MM-142271301	
15.00X22.5 10 BOLT 0 OFFSET	13	0	10	500/60 R22.5	AGRICULTURE	JF-MM-152271301	
15.00X22.5 8 BOLT 0 OFFSET	13	0	8	500/60 R 22.5	AGRICULTURE	JF-MM-152271201	
15.00X22.5 6 BOLT 0 OFFSET	13	0	6	500/60 R22.5	AGRICULTURE	JF-MM-152271302	
16.00X22.5 10 BOLT 0 OFFSET	13	0	10	550/60 R22.5	AGRICULTURE	JF-MM-162271301	
16.00X22.5 8 BOLT 0 OFFSET	13	0	8	550/60 R 22.5	AGRICULTURE	JF-MM-162271203	
16.00X17 6 BOLT 0 OFFSET	10	0	6	500/50 R17	AGRICULTURE	JF-MM-161751001	
20.00X22.5 10 BOLT 0 OFFSET	13	0	10	600/50 R22.5	AGRICULTURE	JF-MM-202271301	
20.00X22.5 8 BOLT 0 OFFSET	13	0	8	600/50 R22.5	AGRICULTURE	JF-MM-202271201	
W7X44 (8)	10	63,5	8	230/95 R44 210/95 R44	TTF	JF-MM-074451001	
W7X44 (8)	10	63,5	8	230/95 R44 210/95 R44	MASSEY	JF-MM-074451002	


**DURABLE AND HIGH PERFORMANCE
RIMS AND TYRES FOR ALL RANGES**



petlas **AKOJANT**
MADE IN TURKEY


**AKO RIMS AND PETLAS TYRES' SIZES
WERE TAKEN AS REFERENCE**

- SUPER SEAL TECHNOLOGY
- ADR CERTIFIED
- UV AND COLD RESISTANCE




ELECTRIC SETS CAN BE CUSTOMIZED ACCORDING TO CUSTOMER REQUEST

- SUPER SEAL TECHNOLOGY
- ADR CERTIFIED
- UV AND COLD RESISTANCE



ELECTRIC SETS CAN BE CUSTOMIZED ACCORDING TO CUSTOMER REQUEST



ALL TYPE OF TRAILER LADDERS



www.bngparts.com



BNG CONTAINER LOCKS

**FORGED and MACHINED
for DURABILITY**

www.bngparts.com



Best Solutions for Quality Driven Trailer Designs

Address: ARLI SANAYİ SİTESİ B1 Blok Fevzi Çakmak Mah. Şehit Hamdi Karagöz Cad. No:6/E KARATAY-KONYA
Telephone: +90 332 261 3061 - **E-Mail:** info@bngparts.com

www.bngparts.com

Download PDF

